tation of natural resources. Many statistical techniques easily can be utilized with readily available third-generation machines. Trend analysis, correlation methods, and classification procedures are used routinely to help in solving many geologic problems. As computer programs and quality data become available undoubtedly these tools will be used more and additional ones will be developed. It should be obvious that the use of computers is not expedient in all instances, but is especially applicable for manipulations which are performed many times or to unravel extremely complex situations. The potential of the computer is not yet realized, but involvement with them is creating a "new way of life" and certainly effecting change. This change is being felt in science as well as social and economic aspects of our everyday life.

Trend Analysis	Correlation Methods	Classification Procedures
2D, 3D, and 4D trend an- alysis	auto- and cross- correlation	matching coefficients (in- cluding similar- ity, correlation, distance, and cosine-theta)
harmonic an- alysis (includes time series, Fourier and power- spectrum analysis)	auto- and cross- association	PCA (principal component an- alysis), factor analysis, and cladistic methods

December 15, 1966 WILLIAM E. HAM

Oklahoma Geological Survey, Norman "Reefs and Stromatolites"

Sediments of limestone depositional environments are uniquely rich in the secreted skeletal carbonates of marine organisms, clearly attesting to the great importance of animal and plant life in the formation of most carbonate rocks.

By far the outstanding example of organic activity in any sedimentary environment is the construction of reefs or mounds that are built, distinctively and wholly, in response to a localized intense concentration of organisms. The structures thus built are irregular in shape and size, and are typically massive in gross appearance, lacking the stratification or bedding of the surrounding sediments. The specialized environment at the reef site is above-all characterized by a distinctive abundance

of organisms, general absence of bedding, and an implied but invariable concept that the upper growth surface of the reef lies above the surrounding sediment floor. Differences in the magnitude of growth relief distinguish between reefs on the one hand and mounds or bioherms on the other. Both types are valuable in providing reservoir rocks for petroleum, but in entirely different ways.

Stromatolites likewise are manifestations of intense organic activity. They are bedded layers that consist generally of laminated carbonate sediment entrapped by blue-green algae. These layers, normally not exceeding 5 or 10 feet in thickness, are interbedded with other kinds of limestones and are a common element of many stratigraphic sequences. They are valuable as indicators of the intratidal or extremely shallow-water-marine environment, but in spite of their complete dependence upon organisms, they play no role as reservoir rocks in the entrapment of petroleum.

January 9, 1967 JOHN P. OLSON Standard Oil Company, Indiana "Why Geologists Should Understand Computers"

The electronic computer is potentially one of the most powerful tools that has been presented to the geologist. In order to use this tool to supplement his experience and imagination the geologist will have to learn to understand and communicate with it.

If geologists do not learn to control the computers, they are apt to lose control of geologic exxploration. The persons directing the application of computers to geology must understand both the computer and geology, or both time and results are lost in continual translation and interpretation.

There is currently a shortage of computer programmers which is getting steadily more acute. In order to realize the potential benefits which are available with the computer, geologists will have to learn to do at least some of their own computer programming and analysis. In the process they will find that it is a lot of fun.

January 12. 1967 PAUL L. LYONS

Sinclair Oil and Gas Company, Tulsa
"Gravity Interpretation of Major
Crustal Properties"

Gravity and magnetic maps, large in